T320 E-business technologies: foundations and practice

Configuring an Application Server in Eclipse

Prepared for the course team by Neil Simpkins

Introduction	1
Viewing the configured servers	2
Configuring an application server	3

Introduction

To perform certain operations, such as deploying and testing a web service or Java application, Eclipse requires that an application server is configured for its use. A wide range of application servers can be used with Eclipse, such as IBM WebSphere, JBoss and BEA's WebLogic server. Here, however, I shall focus on the use of Apache Tomcat because this is a popular, commercially used but open source (free) application server.

Before configuring Eclipse to use an application server, you must install the server in question onto your machine. You should already have installed Tomcat as part of the Eclipse installation in Block 2, but if not you can do so by running the software installation wizard on DVD 2.

To configure the Tomcat application server you must know where in the file system it has been installed. The T320 software installation should have created a shortcut on your desktop called 'T320 configuration'. If you double-click on this it will open a file containing the installation paths of Tomcat and the Java Development Kit, which are required for setting up Eclipse. These should be similar to the following:

```
C:\Program Files\Apache Software Foundation\Tomcat 5.5
C:\Program Files\Java\jdk1.5.0_14
```

You will need the path to Tomcat later.

Viewing the configured servers

Eclipse can be configured to access several application servers. When you create certain types of project or perform some operation that uses an application server, you may then select the appropriate server from the list of those available. Eclipse will manage the server, starting it and displaying its status for you.

To view the servers that have been set up within Eclipse, open Eclipse by doubleclicking on the 'Eclipse for Block 3' shortcut. If this is the first time you have used this shortcut you will see the Welcome screen; either click on the 'Workbench' button or close the tab in the top left-hand corner. Once the workbench is showing, select Window > Show view > Servers..., (Figure 1).

ĺ	🖶 Java EE - Eclipse Platform			
	File Edit Navigate Search Project Run	Window Help		
	📬 • 🔚 🗁 🏇 • 💽 • 💁 •	New Window New Editor	·] @] #] # + 9 + + + +	÷ - □ □ □
		Open Perspective 🔹 🕨		
		Show View	🛄 Bookmarks	
		Customize Perspective Save Perspective As Reset Perspective Close Perspective Close All Perspectives	Console Alt+Shift+Q, C Data Source Explorer Navigator Containe Alt+Shift+Q, O Problems Alt+Shift+Q, X Contained Statement	
		Web browser Preferences	Search Alt+Shift+Q, S	
			All Servers	
			Other Alt+Shift+Q, Q	

Figure 1 Selecting the Servers view

The Servers view will open at the bottom of Eclipse. It may be empty or it may list one or more configured servers. In Figure 2 the list is empty but in Figure 3 a single Tomcat 5.5 server is shown. You need to have at least one such server configured to run applications on.

🖹 Problems 🖉 Tasks 🔲 Properties	👫 Servers 🛛 🙀 Data Source Ex	plorer 🔚 Snippets	\$ • # = 1
Server 🔺	State	Status	
JI	1		
] 🐴 🔉 📧 💖 🔶



🖹 Problems 🙆 Java	adoc 😥 Declaration 👭 Servers 🕱		参 () 🖉	
Server 🔺	State	Status			
📕 📜 Tomcat v5.5 S	erver at localhost 混 Stopped	Synchronized			
L					

Figure 3 Single Tomcat 5.5 server listed in Servers view

Configuring an application server

A wizard is used to configure a new server. Select File > New > Other..., then open the 'Server' folder and select 'Server' (Figure 4). Click 'Next'.

e New		
Select a wizard Define a new server	R	
Wizards:		
Java Emitter Templates JavaScript JavaScript JPA Orchestration Plug-in Development Plug-in Development Server Server Server Server Jue Server Set Server Web Web Web Web Services XML		
0	< Back Next >	Finish Cancel

Figure 4 Selecting the New Server wizard

You will then see a dialogue box that allows you to select from the types of server that you have available (Figure 5). Select the Tomcat 5.5 server under the 'Apache' folder, unless you have installed another server that you prefer to use, and click 'Next'.

🖶 New Server		
Define a New Server		
Choose the type of server to	create	
Server's host name: localho	it	
	Download additional	server adapters
Select the server type:		
jcype nicer cexc		
Apache Tomcat v3.2 Ser Tomcat v4.0 Ser Tomcat v4.1 Ser Tomcat v5.0 Ser Tomcat v5.5 Ser Tomcat v6.0 Ser Domcat v6.0 Ser	ver ver ver ver ver projects and server configurations to a local Tomcat	server.
Server name:	Tomcat v5.5 Server at localhost	
	k}	
0	< Back Next > Finish	Cancel

Figure 5 Choosing the type of server to create

In the next dialogue box (Figure 6) you are required to specify the path to the installed server and to select a Java Runtime Environment (JRE). Set the server path to point to your installed Tomcat (see the 'T320 configuration' shortcut).

If you have used DVD 2 to install Eclipse and Java then you may leave the selected JRE to be the 'Workbench default JRE' option, as shown in Figure 6. If you have an installation of Java outside the Eclipse installation then this should appear in the dropdown list; if this is not the case but you have installed Java then you can add your installation to the list by clicking the 'Installed JREs...' button and browsing to the location.

When you are ready, click 'Next'.

e New Server	<u>_ 🗆 ×</u>
Tomcat Server	
Specify the installation directory	
Name:	
Apache Tomcat v5.5	
Tomcat installation directory:	
C:\Program Files\Apache Software Foundation\Tomcat 5.5	Browse
JRE:	
Workbench default JRE	Installed JREs
(?) < Back Next > Finish	Cancel

Figure 6 Specifying the server installation path

The next dialogue box allows you to add any projects to the server (Figure 7). This will mean that the project code is run on the specified server. If you have yet to create a project that you want to run on the server then this can be done later when you create or start to run the project.

Add whatever projects you require to the server (Figure 8) and click 'Finish'.

The server you have specified should now appear in the Servers view (Figure 9).

A server can be started or stopped by right-clicking on the server in the Servers view, but Eclipse will itself offer to start the server when this is required.

Now that a server has been configured, it can be used to host web pages, applications and web services.

🖶 New Server			×
Add and Remove Projects Modify the projects that are configur	red on the server		
Move projects to the right to configu	ire them on the server		
Available projects:		Configured projects:	
🦾 HelloService	Add > < Remove		
	Add All >> << Remove All		
•	< Back Next :	> Finish	Cancel

Figure 7 Adding projects to a server

e New Server			×
Add and Remove Projects Modify the projects that are configur	red on the server		
Move projects to the right to configu	ure them on the server		
Available projects:		Configured proje	ects:
	Add > < Remove	HelloSe	rvice
	Add All >> << Remove All		
0	< Back Nex	t > Finish	Cancel

Figure 8 Selected projects added to the server

🚝 Java EE - Eclipse Platform		
File Edit Navigate Search Project Run Wir	idow Help	
] 📑 • 🗒 👜] 🅸 • 🔕 • 🦓 •] 🖏	• @ •] @ @ % •] @] #] 2 + 2 + + + + +	🔡 🥦 Java EE
Project Explorer 🕄 📃 🗖	(°	
		An outline is not available.
B 🕞 Servers	Problems Tasks Properties Screwers Control Data Source Explorer Status Server State Tonicat v5.5 Server at localhost Scopped	pets
] 0*	J] 💁 💭 💌 🔮 🔶

Figure 9 New server listed in Servers view